



MOTOTRBOT COMMERCIAL RADIO ACCESSORIES



THE POWER OF YOUR RADIO UNLEASHED



THE POWER OF YOUR RADIO UNLEASHED



MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

As you walk from the production line, across hotel grounds, or to the store stockroom, you can work more easily and efficiently wearing a comfortable, convenient accessory. Combine our best-in-class radios with accessories to achieve even greater productivity and cost-savings. Together, you'll rethink what's an accessory – and what's a necessity.

That's why it's important to use Motorola tested and certified accessories with your MOTOTRBO radios. They're the only ones designed, built and tested with your radio to optimize its performance.

WINDPORTING I HEAR YOU, NOT THE WIND

Communicate clearly in difficult weather. Wherever you work – in howling wind, driving rain, and severe weather – Windporting helps you communicate effectively and listeners hear clearly.

Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

HEAR THE DIFFERENCE WINDPORTING MAKES










COMPATIBILITY	ACCESSORY			FEATURES		
		r robust portfolio includes Remote Speaker Mi to give you clearer communications even in lo		Safety Microphones		
CP200d AND SL300 SERIES PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	WINDPORTING OR NOISE-CANCELING	AUDIO JACK (3.5 MM NON THREADED)	IP RATING OR SUBMERSIBLE
	5	Windporting Remote Speaker Microphone, submersible (IP57)	PMMN4029	Windporting		♦ IP57
	1	Windporting Remote Speaker Microphone with 3.5mm audio jack (IP54)	PMMN4013	Windporting		IP54
CP200d		Mag One Remote Speaker Microphone	PMMN4092			



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for CP200d™ portable radios.


HEAR WHAT CHOPPER NOISE SOUNDS LIKE ▶



COMPATIBILITY	ACCESSORY		FEATURES				
REMOTE SPEAKER	REMOTE SPEAKER MICROPHONE ACCESSORIES These earpieces give you the flexibility to receive radio communications more discreetly.						
CP200d AND SL300 SERIES Portable radios	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE			
	7	Receive-Only Foam Covered Earbud with coiled cord (standard 3.5mm plug)	AARLN4885	Foam Covered Earbud			
	53	Receive-Only Earpiece with translucent tube and rubber eartip (standard 3.5mm plug)	RLN4941	Clear Rubber Eartip			
CP200d	QD	Receive-Only Flexible Earpiece (standard 3.5mm plug)	WADN4190	Over-the-ear			
	6	Receive-Only D-Shell Earpiece (standard 3.5mm plug)	PMLN4620	Over-the-ear			

VERTICAL MARKETS: Recommendations based on typical use case for each of the verticals listed.

SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
Small 55 x 60 x 27	•	•	•		•		
Small 55 x 60 x 27	•	•	•		•	•	•
Small 49 x 72 x 23	•		•		•	•	•



WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission. Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

AUDIO JACK (3.5mm non-threaded): Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

EARPIECE TYPE: Choose the right fit for your operations — a simple, low cost, discreet earbud or the rugged, high performance CommPort $^{\mathsf{T}}$ style earpiece.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.

COMPATIBILITY ACCESSORY **FEATURES** SURVEILLANCE ACCESSORIES AND EARPIECES Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts. Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. CP200d AND SL300 SERIES PORTABLE RADIOS SURVEILLANCE ACCESSORIES DESCRIPTION EARPIECE TYPE MICROPHONE 2-Wire Surveillance Kit with quick PMLN6536 Clear Rubber Eartip disconnect translucent tube, black 2-Wire Surveillance Kit with translucent PMLN6530 Clear Rubber Eartip tube, black 2-Wire Surveillance Kit with translucent PMLN6445 Clear Rubber Eartip tube, beige 2-Wire Surveillance Kit with translucent PMLN7157 Clear Rubber Eartip 1-Wire Surveillance Kit with in-line PMLN7158 Clear Rubber Eartip microphone and push-to-talk, black

COMPATIBILITY	ACCESSORY		FEATURES				
SURVEILLANCE ACCESSORY REPLACEMENT KITS							
CP200d AND SL300 SERIES Portable radios	SURVEILLANCE ACCESSORY REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS		
CP200d		Quick Disconnect Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6536, PMLN6530, PMLN6445, PMLN7157, PMLN7158		
		Replacement standard clear rubber eartip for RLN6242, pack of 25	5080370E97	Clear Rubber Eartip	PMLN6536, PMLN6530, PMLN6445, PMLN7157, PMLN7158		
SL300 SERIES		Replacement Foam Plugs for RLN6242. Noise reduction = 24dB. Pack of 50 pairs	5080384F72	Foam Eartip	PMLN6536, PMLN6530, PMLN6445, PMLN7157, PMLN7158		

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

VERTICAL MARKETS: Recommendations based on typical use case for each of the verticals listed.

PRIVATE SECURITY HOSPITALITY AND RETAIL (CAMPUSES)



COMPATIBILITY	ACCESSORY	FEATURES	FEATURES					
SURVEILLANCE AC	SURVEILLANCE ACCESSORY REPLACEMENT KITS							
CP200d AND SL300 SERIES PORTABLE RADIOS	SURVEILLANCE ACCESSORY REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS			
CP200d SL300 SERIES		Replacement standard clear rubber eartip for RLN6242. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6536, PMLN6530, PMLN6445, PMLN7157, PMLN7158			
		Extreme Noise Kit with 2 foam earplugs, black clip (for PMLN6536)	RLN6230	Foam Eartip	PMLN6536			
CP200d		Replacement standard clear rubber eartip, pack of 10	67009254001	Clear Rubber Eartip	PMLN6530 PMLN6445			

EARPIECE TYPE: Choose the right fit for your operations — a simple, low cost, discreet earbud or the rugged, high performance CommPort™ style earpiece.


COMPATIBILITY	ACCESSORY			FEATURES		
SURVEILLANCE A	CCESSORY REPLAC	EMENT KITS				
CP200d AND SL300 SERIES Portable Radios	SURVEILLANCE ACCESSORY REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS	
		Small Custom Earpiece, right ear	RLN4760	Custom Earpiece		
		Medium Custom Earpiece, right ear	RLN4761	Custom Earpiece		
		Large Custom Earpiece, right ear	RLN4762	Custom Earpiece		
		Small Custom Earpiece, left ear	RLN4763	Custom Earpiece		
CP200d		Medium Custom Earpiece, left ear	RLN4764	Custom Earpiece		
SL300 SERIES		Large Custom Earpiece, left ear	RLN4765	Clear Rubber Eartip		
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™foam eartip		
	[Sonic Defenders Noise reduction : Clear EP7-Large [Sonic Defenders	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply [™] foam eartip	PMLN6536 PMLN6530 PMLN6445 PMLN7157 PMLN7158	
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply [™] foam eartip	_	



KEEP THEM FOCUSED ON THE GO

A wide selection of styles fit the way you work – from discreet clear acoustic tube styles to over-the-ear styles. With in-line push-to-talk and microphones, these accessories are easy to access on the go, so you can stay focused on the job. When you need a cost-effective solution for light-duty users, trust Mag One™, the only value line tested and certified by Motorola. They extend the value of your radios without breaking your budget and are ideal for hospitality, security and retail teams.

CO	MPATIBILITY	ACCESSORY			FEATURES	
EA	RPIECES AND I	MAG ONE™ ACCESSO	PRIES			
CP2 POF	00d AND SL300 SERIES RTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE
			Earbud with combined microphone and PTT	PMLN6533	Earbud	Mic and PTT combined on a single wire
			D-Style Earpiece with microphone and push-to-talk	PMLN6535	D-Style	Mic and PTT combined on a single wire
	, and the same of		Flexible Ear Receiver (Receive Only)	BDN6720	Over-the-Ear	
	CP200d		Replacement Foam Ear Cushion (for BDN6720A)	7580372E11		
			Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN6532	Over-the-Ear	In-Line
			Mag One Earbud with in-line microphone, push-to-talk and VOX switch	PMLN6534	Earbud	In-Line



	VERTICAL MARKET	TS: Recommendations	based on typical use ca	ase for each of the ver	ticals listed.		
РΠ	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
Mic and PTT combined on a single wire					•	•	•
Mic and PTT combined on a single wire		•			•	•	•
					•	•	•
In-Line					•	•	•
In-Line					•	•	•
	I.						

AUDIO ACCESSORIES

MOTOTRBO audio accessories for SL300 are designed for lasting comfort and improved device performance. In-line microphones and prominent push-to-talk features provide easy hands-free communication.

COMPATIBILITY	ACCESSORY			FEATURES	
EARPIECES AND I	MAG ONE™ ACCESSO	ORIES			
CP200d AND SL300 SERIES PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE
		Mag One Ear Receiver with in-line microphone, push-to-talk and VOX switch	PMLN6531	Over-the-Ear	In-Line
CP200d		Mag One Earset with boom microphone and in-line push-to-talk and VOX switch	PMLN6537	Earset	In-Line
		Swivel Earpiece with in-line microphone and push-to-talk	PMLN7189	Over-the-Ear	In-Line
SL300 SERIES		Mag One Earbud with in-line microphone and push-to-talk	PMLN7156	Earbud	In-Line
		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN7159	D-Style	In-Line




	VERTICAL MARKET	'S: Recommendations I	pased on typical use ca	ase for each of the vert	icals listed.		
РТТ	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
In-Line					•	•	•
In-Line					•	•	•
In-Line					•	•	•
In-Line					•	•	•
In-Line		•			•	•	•

COMPATIBILITY	ACCESSORY			FEATURES		
HEADSETS						
CP200d AND SL300 SERIES PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	MICROPHONE
		Heavy-Duty Headset, over-the-head dual muff with swivel noise cancelling boom microphone (24dB NRR)	PMLN6539	Over-the-Head	Dual-Ear	Boom
Ų.		Heavy-Duty Headset, behind-the-head dual muff (hardhat compatible) with noise cancelling boom microphone, in-line push-to-talk and 24dB NRR	PMLN6540	Behind-the- Head	Dual-Ear	Boom
		Lightweight Temple Transducer Headset with in-line microphone and push-to-talk	PMLN6541	Behind-the- Head	Bone Conduction	In-Line
CP200d		Lightweight Headset, over-the-head, single muff with swivel boom microphone	PMLN6538	Over-the-Head	Single-Ear	Boom
		Mag One Ultra-Lite Headset, behind-the-head, adjustable with boom microphone and in-line push-to-talk	PMLN6542	Behind-the- Head	Single-Ear	Boom

COMPATIBILITY	HEADSET	ACCESSORY		
HEADSET REPLAC		ACCESSORY		
CP200d AND SL300 SERIES Portable radios	HEADSET PART NUMBER	HEADSET REPLACEMENT PARTS	DESCRIPTION	PART NUMBER
			Foam Ear Seal	75012068001
			Cloth Covers	15012094001
Re.			Over-the-Head Strap	4204004K01
• minus			Microphone O-Ring	6775998M01
CP200d	PMLN6540		Headset Windscreen	3578010A01
			Eyeglass Pad	7575999M01
			Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511
CP200d SL300	ALL HEAVY DUTY Headsets		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512
SERIES	SERIES		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513

		VERTICAL MARKET	TS: Recommendations I	based on typical use ca	ase for each of the vert	icals listed.		
РТТ	WEIGHT	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
None (use PTT on radio)	Heavy-Duty		•	•	•			
In-Line	Heavy-Duty		•	•	•			
In-Line	Lightweight	•	•	•	•	•	•	•
In-Line	Lightweight		•	•		•	•	•
In-Line	Ultra Lightweight		•	•		•	•	•

COMPATIBILITY	HEADSET	ACCESSORY		
HEADSET REPLAC	EMENT PARTS			
CP200d AND SL300 SERIES PORTABLE RADIOS	HEADSET PART NUMBER	HEADSET REPLACEMENT PARTS	DESCRIPTION	PART NUMBER
		00	Foam Ear Seal	75012068001
			Cloth Covers	15012094001
	PMLN6539		Headset Windscreen	5080548E02
			Microphone O-Ring	3280376E35
CP200d	PMLN6538		Kit includes foam earpad and microphone cover	REX4648
			Windscreen	6104000K01
	PMLN6542		Clothing clip	4204005K01



COMPATIBILITY	ACCESSORY			FEATURES		
BATTERIES						
CP200d AND SL300 SERIES Portable radios	BATTERIES	DESCRIPTION	PART NUMBER	CHEMISTRY	CAPACITY	APPROXIMATE OPERATIONAL TIME (HOURS) VARIES BY MODEL NUMBER 5/5/90 DUTY CYCLE
	0	NiMH 1400 mAh battery	NNTN4851	NiMH	1400 mAh (min)	Analog: 9 Digital: 11.5
		Slim Li-Ion 1600 mAh battery	NNTN4970	Li-lon	1600 mAh (min)	Analog: 10.5 Digital: 13.5
e e		High Capacity Li-Ion 2250 mAh battery	NNTN4497	Li-lon	2250 mAh (min)	Analog: 14.5 Digital: 18.5
CP200d		High Capacity Li-Ion 2800 mAh battery*	PMNN4450	Li-lon	2800 mAh (min)	Analog: 18 Digital: 23.5
	(A)	Mag One NiMH 1300 mAh battery	PMNN4072	NiMH	1300 mAh (min)	Analog: 8 Digital: 10.5
		Mag One Li-Ion 2050 mAh battery*	PMNN4458	Li-lon	2050 mAh (min)	Analog: 13.5 Digital: 17
	Ø MOTORICA Ø MOTORICA Ø C€ 53 ②	BT100x Li-lon 2200 mAh battery	PMNN4468	Li-lon	2300 mAh (typ)	Analog: 11.8-12.5 Digital: 14-15
SL300 SERIES	©	Replacement Battery Cover	PMLN7074			

^{*} Coming soon



DIMENSIONS (H X W X L) MM	WEIGHT (GRAMS)	IP RATING
60 x 120 x 21	210 (max)	IP54
60 x 120 x 18	147 (max)	IP54
60 x 120 x 24	140 (max)	IP54
60 x 120 x 24	140 (max)	IP54
60 x 120 x 21	210 (max)	
60 x 120 x 24	140 (max)	
12 x 36 x 54	50 (max)	

KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.

PROVEN TOUGH BATTERY TESTING PASS RATE MOTOROLA POWER PRODUCTS 53% MULTIPLIER 47% HONEYWELL (Manufactured by GTS) 52%

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** – twice as long as most leading competitive batteries.



COMPATIBILITY	ACCESSORY			FEATURES			
SINGLE-UNIT AND	MULTI-UNIT CHAR	GERS					
CP200d AND SL300 SERIES PORTABLE RADIOS CHARGER SOLUTIONS DESCRIPTION		DESCRIPTION	PART NUMBER	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM)	NUMBER OF POCKETS
		Rapid-Rate Desktop Charger, 120V (US Plug)	WPLN4138	Li-lon, NiMH	120V	52 x 113 x 113	1
İ		Rapid-Rate Charger with switchmode power supply, 120V (US Plug)	PMLN5193	Li-lon, NiMH	120V	52 x 113 x 113	1
		Universal Multi-Unit Charger, includes 6-inserts compatible with CP200d, PR400, CP200.XLS, CP200, CP150, 120V (US plug)	PMLN6588	Li-lon, NiMH	120V	79 x 447 x 172	6
CP200d		Charging Insert for Universal Multi-Unit Charger (PMLN6588), compatible with CP200d, CP200, CP150, PR400, CP200·XLS	NNTN8460				
		Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	PMLN7089*	Li-lon, NiMH	Cigarette Lighter Adapter	58 x 64 x 67	1

^{*} Coming soon (target Fall 2014)

NUMBER OF POCKETS: MOTOTRBO multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless device simultaneously.

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.



COMPATIBILITY	ACCESSORY			FEATURES			
SINGLE-UNIT AND	MULTI-UNIT CHAR	GERS					
CP200d AND SL300 SERIES Portable radios	CHARGER SOLUTIONS	DESCRIPTION	PART NUMBER	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM)	NUMBER OF POCKETS
		Micro-USB Single-Unit Rapid Rate 5V/1A, Plug-In Power Supply, 5W, 100V-240V (US plug)	25009298001	Li-lon	120-240V		
		Six-Pocket Multi-Unit Rapid Rate Charger, 90V-264V (US plug)	PMLN7101	Li-lon	90-264V	65 x 424 x 110	6
SL300 SERIES	For the Control of th	Single-Unit Rapid Rate Charger 5V/1A, 5W, 100V-240V (US Plug)	PMLN7109	Li-lon	100-240V		1
		Micro USB Programming Cable	CB000262A01				

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.



COMPATIBILITY ACCESSORY					;			
CARRY ACCESSORIES								
CP200d AND SL300 SERIES PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION	SWIVEL/ FIXED	DISPLAY / NON-DISPLAY	RADIO STRAP COMPATIBLE
	_	Hard Leather Case with 3" Fixed Belt Loop and D-rings (non-display model)	RLN5383	Hard Leather	3 inch	Fixed	Non-Display	•
		Hard Leather Case with 2.5" Swivel Belt Loop and D-rings (non-display model)	RLN5384	Hard Leather	2.5 inch	Swivel	Non-Display	•
		Hard Leather Case with 3" Swivel Belt Loop and D-rings (non-display model)	RLN5385	Hard Leather	3 inch	Swivel	Non-Display	•
		Nylon Case with 3" Fixed Belt Loop and D-rings (non-display model)	HLN9701	Nylon	3 inch	Fixed	Non-Display	•
CP200d	3111	Spring Action 2" Belt clip	RLN5644	Plastic	2 inch			
		Spring Action 3" Belt clip	HLN8255	Plastic	3 inch			
		Accessory Clamp	HLN8096	Plastic				
		Carry Holster with Swivel Belt Clip	PMLN7190	Plastic	1.5 inch	Swivel		
SL300 SERIES		Heavy-Duty Swivel Belt Clip	PMLN7128	Plastic	1.5 inch	Swivel		



COMPATIBILITY	ACCESSORY			FEATURES					
CARRY ACCESSORIES									
CP200d AND SL300 SERIES PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION	SWIVEL/ FIXED	DISPLAY/ NON-DISPLAY	RADIO STRAP COMPATIBLE	
		Replacement 2.5" Swivel Belt Loop	4280483B03	Hard Leather	2.5 inch	Swivel			
		Replacement 3" Swivel Belt Loop	4280483B04	Hard Leather	3 inch	Swivel			
		Replacement T-Strap for leather cases	RLN5716	Soft Leather	2.5 inch		Non-Display		
CP200d		Adjustable Nylon Carrying Strap	NTN5243	Nylon					
		Retainer Kit, provides additional protection when securing accessories to radio	RLN5500						
		Nylon Wrist Strap	PMLN6074	Nylon					
SL300 SERIES	• 3	Flexible Quick Release Hand Strap	PMLN7076						
CP200d SL300 SERIES		Waterproof Bag with large strap for securely carrying Motorola two-way radios	HLN9985						


COMPATIBILITY	ACCESSORY		
CARRY ACCESSOI	RIES		
CP200d AND SL300 SERIES PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER
		Universal Chest Pack with radio holder, pen holder, and Velcro secured pouch	HLN6602
	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured pouch	RLN4570
		Replacement Strap for HLN6602 and RLN4570	1505596Z02
		Radio Pack Radio Utility Case	RLN4815
CP200d		Radio Pack Extension Belt for waists larger than 40 inches used with RLN4815	4280384F89
	P	Radio Hanger for vehicle door panels up to 2.75 inches	TDN9327
		Door Hanger for Radio and Vehicle door panels 2.75 to 3.25 inches	TDN9373
COMPATIBILITY	ACCESSORY		

THE RESERVE TO SERVE	
© MOTOROLA	No.

COMPATIBILITY	ACCESSORY		
PROGRAMMING A	AND TEST CABLES		
CP200d AND SL300 SERIES PORTABLE RADIOS	PROGRAMMING CABLES	DESCRIPTION	PART NUMBER
CP200d		Portable Programming USB Cable	PMKN4128

COMPATIBILITY ACCESSORY				FEATURES			
ANTENNAS							
CP200d AND SL300 SERIES Portable Radios	ANTENNAS	DESCRIPTION	PART NUMBER	UHF/VHF/ (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮРЕ
UHF ANTENNAS							
		UHF Wideband Whip Antenna (403-520 MHz), 17 cm	PMAE4016	UHF	403-520	17	Whip
		UHF Heliflex Stubby (403-440 MHz), 9 cm	8505816K24	UHF	403-440	9	Stubby
	1	UHF Stubby Antenna (403-433 MHz), 9 cm	PMAE4002	UHF	403-433	9	Stubby
CP200d		UHF Stubby Antenna (430-470 MHz), 9 cm	PMAE4003	UHF	430-470	9	Stubby
		UHF Stubby Antenna (438-470 MHz), 9 cm	NAE6522AR	UHF	438-470	9	Stubby
		UHF Stubby Antenna (403-425 MHz), 4.5 cm	PMAE4093	UHF	403-425	4.5	Stubby
CHE	<u> </u>	UHF Stubby Antenna (420-445 MHz), 4.5 cm	PMAE4094	UHF	420-445	4.5	Stubby
SL300 SERIES		UHF Stubby Antenna (435-470 MHz), 4.5 cm	PMAE4095	UHF	435-470	4.5	Stubby
VHF ANTENNAS							
		VHF Whip Antenna (136-155 MHz), 14 cm	PMAD4014	VHF	136-155	14	Whip
	1	VHF Heliflex Antenna (136-150.8 MHz), 14 cm	PMAD4042	VHF	136-150.8	14	Heliflex
CP200d		VHF Heliflex Antenna (146-174 MHz), 15 cm	NAD6502AR	VHF	146-174	15	Heliflex

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.




COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
CP200d AND SL300 SERIES PORTABLE RADIOS	ANTENNAS DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	ТҮРЕ
VHF ANTENNAS							
1		VHF Stubby Antenna (136-155 MHz), 9 cm	PMAD4012	VHF	136-155	9	Stubby
CP200d		VHF Stubby Antenna (146-162 MHz), 9 cm	HAD9742	VHF	146-162	9	Stubby
		VHF Stubby Antenna (162-174 MHz), 9 cm	HAD9743	VHF	162-174	9	Stubby
SL300 SERIES		VHF Stubby Antenna (136-144 MHz), 5 cm	PMAD4144	VHF	136-144	5	Stubby
		VHF Stubby Antenna (144-156 MHz), 5 cm	PMAD4145	VHF	144-156	5	Stubby
		VHF Stubby Antenna (156-174 MHz), 5 cm	PMAD4146	VHF	156-174	5	Stubby



COMPATIBILITY	ACCESSORY		
ANTENNA BANDS			
CP200d AND SL300 SERIES Portable radios	ANTENNA BANDS	DESCRIPTION	PART NUMBER
		Antenna ID Band (Gray, Pack of 10)	32012144001
		Antenna ID Band (Yellow, Pack of 10)	32012144002
SL300 SERIES		Antenna ID Band (Green, Pack of 10)	32012144003
SERIES		Antenna ID Band (Blue, Pack of 10)	32012144004
		Antenna ID Band (Purple, Pack of 10)	32012144005

MOTOTRBO CM200d AND CM300d MOBILE RADIOS









CM300d

Simple, clear voice communication is a "must have" for your operation. We understand — that's why analog or digital, our MOTOTRBO™ portfolio is renowned for clearly better connections and workforce collaborations.


We realize that to help you excel in your job, you need accessories that match the performance of your MOTOTRBO radio — that truly fit your work environment. When you use our accessories with your mobile radio, you are simply more efficient.

That's why it's important to use Motorola Original® accessories with the CM200d™ and CM300d™. They're the only ones designed, built and tested with your mobile radio to optimize its performance.

Only Motorola accessories unleash the full power of MOTOTRBO — the most advanced digital radio platform in the industry. So as you deliver packages, dispatch trucks and coordinate shipments, you can work more easily and efficiently with our comfortable, convenient and practical accessories.

Combine our best-in-class radios with CM200d/ CM300d accessories to achieve even greater efficiency and cost-savings. **Together, you'll rethink** what's an accessory – and what's a necessity.

MOTOTRBO CM200d AND CM300d MOBILE RADIOS



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for CM200d™/CM300d™ mobile radios.

HEAR WHAT CHOPPER NOISE SOUNDS LIKE ▶



COMPATIBILITY	ACCESSORY			FEATURES			
MOBILE MICROPI	MOBILE MICROPHONES						
CM200d AND CM200d MOBILE RADIOS	MOBILE MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE			
	S	Standard Compact Microphone	PMMN4090	Compact			
		Heavy-Duty Microphone	PMMN4091	Heavy-Duty			
CM200d	3	Keypad Microphone	PMMN4089	Keypad			
CM300d	0	Telephone Style Handset	PMLN6481	Telephone Style Handset			
		Visor Microphone	GMMN4065	Visor			
		Desktop Microphone	PMMN4098*	Desktop			

* Coming soon

MOBILE MICROPHONE ACCESSORIES

CM200d AND CM300d MOBILE MICROPHONE ACCESSORIES

DESCRIPTION

Microphone Hang-Up Clip (requires installation)

HLN9073

Universal Microphone Hang-Up Clip (no installation require)



MOTOTRBO CM200d AND CM300d MOBILE RADIOS

COMPATIBILITY ACCESSORY **VEHICLE REMOTE PTT SOLUTIONS** VEHICLE PUSH-TO-TALK SOLUTIONS CM200d AND CM300d MOBILE RADIOS DESCRIPTION PART NUMBER Emergency Footswitch can be used with a RLN4836 visor microphone GMMN4065 Remote Mount Footswitch Push-to-Talk to interface with your visor microphone RLN4856 GMN4065 Remote Mount Pushbutton Push-to-Talk CM300d to interface with your visor microphone RLN4857

HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road.

	1	GMN4065	
COMPATIBILITY	ACCESSORY		
INSTALLATION A compromising safety	ND MOUNTING ACC	CESSORIES Mount your radio in your veh the flexibility to mount the radio under your ount kits allow the radio be mounted in the	dash, in your dash,
CM200d AND CM300d MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER
		Low Profile Trunnion Kit	RLN6466
		High Profile Trunnion Kit	RLN6467
	16.3	Key Lock Trunnion Kit	RLN6468
		In-Dash Mounting Kit - DIN	FTN6083
CM200d		Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137
CM300d	200	Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191

Power Cable to Battery - 20 foot,

20 amp 10 AWG

Ignition Sense Cable

Trunnion Mounting Screws

HKN4192

HKN9327

3012045001



COMPATIBILITY	ACCESSORY						
EXTERNAL SPEAKERS Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customized to your environment.							
CM200d AND CM300d Mobile Radios	EXTERNAL SPEAKERS	DESCRIPTION	PART NUMBER				
		7.5W External Speaker	HSN8145				
CM200d		13W External Speaker	RSN4001				
CM300d		Speaker Extension Cable	GMKN4084				

COMPATIBILITY

ACCESSORY

CABLES AND CONNECTORS							
CM200d AND CM300d Mobile Radios	CABLES	DESCRIPTION	PART NUMBER				
		Mobile Front Programming Cable	PMKN4147				
		Mobile Rear Accessory Connector Universal Cable	PMKN4151				
		Rear Accessory Connector Seal with Connector and Pins	GMBN1021				
CM200d	THE PROPERTY OF THE PARTY OF TH	16 Pin Accessory Connector Kit	HLN9457				
CM300d		Connector Extender, 20 pieces	PMLN5620				
		Gasket, Cover, Accessory Connector	3202607Y01				
		Mobile Crimping tool	6680388A26				



MOTOTRBO CM200d AND CM300d MOBILE RADIOS





ANTENNAS

For optimum range and quality, it is important to match the mobile radio's frequency with the proper Motorola antenna. These are available as standard 1/4 wave models or can include 2dB, 3dB, 3.5dB or 5dB signal gain.

COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
CM200d AND CM200d MOBILE RADIOS	ANTENNAS DESCRIPTION PART NUMBER		PART NUMBER	UHF/VHF	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS						
		VHF 136-144 MHz, 1/4 Wave Roof Mount, Mini-U	HAD4006	VHF	136-144	Roof Mount
	G.	VHF 144-150.8 MHz, 1/4 Wave Roof Mount, Mini-U	HAD4007	VHF	144-150.8	Roof Mount
CM200d CM300d		VHF 150.8-162 MHz, 1/4 Wave Roof Mount, Mini-U	HAD4008	VHF	150.8-162	Roof Mount
	8	VHF 162-174 MHz, 1/4 Wave Roof Mount, Mini-U	HAD4009	VHF	162-174	Roof Mount
		VHF, 132-174 MHz, 3.0 dB Gain, Through-Hole Mount, Mini-U	HAD4022	VHF	132-174	Through-Hole Mount

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.



COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
CM200d AND CM300d MOBILE RADIOS	ANTENNAS DESCRIPTION		PART NUMBER	UHF / VHF	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS						
	Š.	UHF 403-430 MHz, 1/4 Wave Roof Mount, Mini-U	HAE4002	UHF	403-430	Roof Mount
		UHF 450-470 MHz, 1/4 Wave Roof Mount, Mini-U	HAE4003	UHF	450-470	Roof Mount
		UHF 406-420 MHz, 3.5 dB Gain, Roof Mount, Mini-U	HAE4010	UHF	406-420	Roof Mount
CM200d		UHF 450-470 MHz, 3.5 dB Gain, Roof Mount, Mini-U	HAE4011	UHF	450-470	Roof Mount
CM300d		UHF, 403-527 MHz, 2 dB Gain, Through-hole Mount, Mini-U	HAE6022	UHF	403-527	Through-Hole Mount
		UHF 445-470 MHz, 5 dB Gain, Roof Mount, Mini-U (with base)	RAE4004ARB	UHF	445-470	Roof Mount







For more information on Motorola accessories, visit **motorolasolutions.com/mototrbo**.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2018 Motorola Solutions, Inc. All rights reserved.



